



Art. Nr.
21s



Art. Nr. 21e



	Seil Ø mm	Tragfähig- keit / t lotrecht	mit 2 Schlaufen  Nutzlänge	Tragfähig- keit / t lotrecht	endl. ohne Verdickung  Umfangslänge
Hanf	16	0,25		0,50	
	20	0,35		0,70	
	24	0,50		1,00	
	28	0,70		1,40	
	32	0,90		1,80	
	36	1,20		2,40	
40	1,40	2,80			
Polyamid	16	0,68		1,35	
	20	1,10		2,20	
	24	1,50		3,00	
	28	2,10		4,20	
	32	2,60		5,20	
	36	3,20		6,40	
Polypropylen	16	0,48		0,96	
	20	0,75		1,50	
	24	1,10		2,20	
	28	1,40		2,80	
	32	1,70		3,40	
	36	2,20	4,40		
40	2,60	5,20			

